



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX*

- Aase, H., 199
 Abies, 61; concolor, 63, 64; lasiocarpa, 61, 63; magnifica, 63
 Acarospora, 87; chlorophana, 86; discreta, 86; fuscata, 85; squamulosa, 86
 Acarosporaceae, 87
 Acer circinatum, 61; monumentale, 141; Negundo, 40, 42; pennsylvanicum, 61; rubrum, 175, 178; saccharum, 57, 140, 183
 Aceraceae, 245
 Acetabularia caraibica, 7; crenulata, 7
 Acidodontium megalocarpum, 26
 Acolium, 78
 Actaea rubra, 183
 Actinococcus subcutaneus, 100, 101
 Adams, J., 72
 Addison Brown, 1.
 Additions to the Pleistocene Flora of the Southern States, 159
 Adiantum pedatum, 179
 Agardhiella tenera, 98
 Agaricaceae, 216
 Ahnfeltia plicata, 99
 Aizoaceae, 240
 Alabama, The Aquatic Vegetation of Squaw Shoals, Tuscaloosa County, 149
 Alectoria, 140; bicolor, 80; chalybeiformis, 80; Fremontii, 140; jubata, 79; jubata bicolor, 80; jubata chalybeiformis, 80; jubata implexa, 79; ochroleuca, 80
 Algal stalactites in Bermuda, 195
 Alismaceae, 230
 Allen, C. F., 38
 Alnus, oregana, 61; rugosa, 151, 153
 Alsinaceae, 240
 Amaranthaceae, 239
 Amaryllidaceae, 236
 Ambrosia, 12-15; artemisifolia, 192
 Ambrosiaceae, 252
 American Botanical Exchange Bureau, 51
 American Breeder's Magazine, The, 10
 American Genetic Association, 11
 American Museum of Natural History, Meetings held at, 16, 49, 69, 129, 130, 163, 164
 American Phytopathological Society, 38
 Ames, O., 18
 Ammiaceae, 247
 Amygdalaceae, 243
 Anacardiaceae, 245
 Anaptychia comosa, 82
 Anderson, F., 199
 Andropogon scoparius, 171, 172, 186-188
 Androsace Chamaejasme arctica, 66
 Angiospermae, 230
 Antennaria plantaginifolia, 173
 Anzia colpodes, 84
 Apocynaceae, 248
 Aquatic Vegetation of Squaw Shoals, Tuscaloosa County, Alabama, The, 149
 Aquilegia canadensis, 171
 Araceae, 235
 Araliaceae, 247
 Arisaema triphyllum, 179
 Aristida, 58; dichotoma, 171
 Aristolochiaceae, 238
 Artemisia candata, 189; tridentata, 60
 Arthonia astroidea, 92; glaucescens, 92; glebosa, 92; lecidella, 92; punctiformis, 92; radiata, 92; spectabilis, 92
 Arthoniaceae, 92
 Arthothelium spectabile, 92
 Arthrostylidium sarmentosum, 19
 Arthur, J. C., 38
 Arundinaria macrosperma, 161
 Arzberger, E. G., 12, 17
 Asarum canadense, 183
 Asclepiadaceae, 248
 Asclepias syriaca, 186, 188; verticillata, 189
 Ascomycetes, 207
 Ascophyllum, 99
 Aspidium marginale, 177; noveboracense, 179; spinulosum, 179
 Astragalus, 65; alpinus, 65
 Aster acuminatus, 45; divaricatus, 177, 179; linariifolius, 173, 189; patens, 173
 Atriplex, 60
 Bacidia atrasanguineo, 90; chlorantha, 89; chlorasticta, 89; fuscobubella, 90.

* New names and final members of new combinations in bold face type. In the Flora of Southold and Gardiner's Island, occupying most of the November and December issues, only family names are indexed.—Ed.

- 91; inundata, 90; rubella, 90; muscorum, 89; Schweinitzii, 90; umbrina, 90
- Baeomyces aeruginosus*, 81, 85; *bysoides*, 81; *icmadophilus*, 81, 85; *roseus*, 81
- Bailey, W. W., 51
- Balsaminaceae, 244
- Baptisia tinctoria*, 188
- Barbour, W. C., 135
- Barnhart, J. H., 20, 70, 131
- Basidiomycetes, 211
- Batsodendron arboreum*, 153
- Beiträge zur Kenntnis der Hymenomycetes, II. (Review), 33
- Benedict, R. C., 134
- Berberidaceae, 241
- Bergson and the biometrical method, 68
- Berry, W. E., 200; Additions to the Pleistocene Flora of the Southern States, 159; Two new Tertiary Species of *Trapa*, 105
- Bessey, C. E., 72
- Betulaceae, 238
- Betula alba papyrifera*, 194; *lutea*, 61, 183, 184; *nigra*, 151, 162; *populifolia*, 181, 189, 190
- Biatora anthracophila*, 89; *campestris*, 89; *chlorantha*, 89; *chlorosticta*, 89; *cuprea*, 89; *cupreo-rosella*, 89; *decolorans*, 91; *denigrata*, 91; *exigua*, 89; *fossarum*, 90; *fusco-rubella*, 91; *geophana*, 89; *granulosa*, 89; *hypnophila*, 89; *icteria*, 89; *inundata*, 90; *mixta*, 90; *nigra*, 91; *parvifolia*, 90; *Resinae*, 90; *rubella*, 90; *rufo-nigra*, 90; *russula*, 90; *Russellii*, 90; *sanguineo-atra*, 90; *Schweinitzii*, 90; *suffusa*, 90; *uliginosa*, 90; *tricolor*, 91; *umbrina*, 90; *varians*, 90; *vernalis*, 90; *viridescens*, 90
- Biatorella*, 74, 87; *campestris*, 89; *fossarum*, 90; *resinae*, 90; *simplex*, 86
- Biatorina lutea*, 89; *mixta*, 90; *russula*, 90; *synothea*, 91
- Bignoniaceae, 251
- Bilimbia cupria*, 89; *hypnophila*, 89
- Bisby, G. R., 96, 199
- Blackman, V. H. and Paine, G. S. A Recording Transpirometer. (Review), 128
- Blakeslee, A. F., 135; A Possible Habit Mutant of the Sugar Maple (*Acer Saccharum*), 140
- Blastema ferrugineum*, 83; *ferrugineum nigrescens*, 83; *rupestris*, 83
- Boodlea, 6
- Bornetiana, 5
- Boraginaceae, 249
- Bose, J. C., 255
- Botanic Garden of Grinnel College, 148
- Botanical Magazine, 9
- Botrychium virginianum*, 179
- Bouteloua, 58
- Boysia, 137
- Brachyleytrum erectum*, 179
- Brackett, M., 69
- Bragg, L., 70
- Brannon, M. A., 95
- Breweria humistrata*, 153
- Britton, E. G., 17, 50, 72, 134; Mosses of the Virgin Islands and Central America, 17
- Britton, E. G., and Williams, R. S. Central American Mosses, 24
- Britton, N. L., 15, 50, 69, 112, 113, 148, 164, 255; On *Erigeron pusillus* Nutt., 197; Selden's Everyman's Garden Every Week (Review), 128
- Britton, R. H., 148
- Broadhurst, 20, 69, 70, 72, 135; Bergson and the biometrical method, 68; Winter Changes in Weeping Willow, 31
- Brooklyn Botanic Garden, 227
- Brown, S., 113
- Bryobesia, 7
- Buchloe, 58
- Buellia dialyta*, 83; *Elizae*, 83; *lactea*, 83; *myriocarpa*, 83; *parasema*, 83; *petraea*, 83, 169; *petraea Montagnei*, 83; *pullata*, 83; *Schraerei*, 83; *spuria*, 83; *stellulata*, 83; *vernlicorna*, 83
- Buelliaceae, 83
- Bulletin* of the Torrey Botanical Club, 71
- Burgess, E., 69
- Burlingham, G. S., 134
- Burnham, S. H., and Latham, R. A. The Flora of the town of Southold, Long Island and Gardiner's Island, 201, 229
- Cactaceae, 246
- Caesalpiniaceae, 243
- Caldwell, J. S., 199
- Caliciaceae, 93
- Calicium*, 78; *byssacaum*, 93; *Curtisii*, 94; *curtum*, 94; *fuscipes*, 94; *phaeocephalum*, 94; *parietinum*, 94; *roscidum*, 94; *roscidum roscidulum*, 94; *subtile*, 94; *tigillare*, 93; *tubaeforme*, 94
- Callicostella Oerstediana*, 29; *pallida*, 29
- Callithamnion Baileyi*, 99
- Callitrichaceae, 245
- Calman, A., 69
- Caloplaca aurantiaca*, 83; *aurantiaca erythellum*, 84; *cinnabarina*, 84
- Caloplacaceae, 83

- Campanula dubia*, 46; *petiolata*, 46;
rotundifolia, 46, 171
Campanula rotundifolia, Some corolla
forms of, 46
Campanulaceae, 252
Campylopus filifolius, 24; *subleucogaster*, 24
Candelaria concolor, 85
Candelariella vitellinum, 85
Cannabinaceae, 238
Caprifoliaceae, 251
Carex, 125; *arkansana*, 125; *conjuncta*,
126; *cryptolepis*, 157; *flava*, 155, 156;
flava androgyna, 156; *flava elatior*,
156, 157; *flava graminis*, 156, 157;
flava lepidocarpa, 156; *flava recti-*
rostra, 156, 157; *lepidocarpa*, 155-
157; *lepidocarpa laxior*; **Oklahomen-**
sis, 126; *Muhlenbergii*, 189; *penn-*
sylvanica, 173; *stipata*, 125, 126;
virescens, 177; *vulpina*, 125
Carpinus caroliniana, 178
Carya alba, 175; *glabra*, 174, 175; *ovata*,
175
Caryophyllaceae, 240
Cassiatæ, 111
Cassiope tetragona, 65
Castanea, 176, 178
Caulerpa, 7, 8
Caulophyllum thalictroides, 183
Ceanothus americanus, 173, 191
Celastraceae, 245
Celastrus scandens, 183
Centaurea, 160
Central American Mosses, 24
Cephalanthus occidentalis, 151
Ceramium rubrum, 98, 101
Cerastium arvense, 173
Ceratodon purpureus, 170, 171
Cetraria aleurites, 85; *aurescens*, 84;
ciliaris, 84; *Fahlunensis*, 84; *Fendleri*,
84; *glaucæ*, 84; *Islandica*, 84; *juniper-*
ina, 84; *juniperina Pinastri*, 84; *lacu-*
nosa, 84; *Oakesiana*, 84; *placorodia*,
85
Chaenotheca, 93; *phaeocephala*, 94
Chaetochloa sp., 160
Chaetomorpha, 99; *Linum*, 99
Chairmen of Special Committees on
Local Flora, Torrey Botanical Club,
134
Chamberlain, J., death of, 132
Chamaesyce, 227
Chamaecyparis nootkatensis, 61; *thy-*
oides, 56
Champia, 99; *parvula*, 100
Characeae, 225
Chase, A., 19
Chenactis Nevii, 19
Chenopodiaceae, 239
Chimaphila umbellata, 61, 177
Chondrophora virgata, 154
Chondrus crispus, 98, 100
Cichoriaceae, 252
Chrysanthemum integrifolium, 66
Cistaceae, 246
Cladonia alpestris, 80; *alpicola Karelica*,
81; *bellidiflora*, 80; *Botryella*, 81;
caespiticia, 81; *cariosa*, 81; *coccifera*,
80; *cornucopioides*, 80; *cornuta*, 81;
crispata, 81; *cristatella*, 80; *cristatella*
ochrocarpia, 80; *decortica*, 81; *delica*,
81; *degenerans*, 81; *fimbriata ad-*
spersa, 80; *fimbriata tubaeformis*, 81;
fimbriata simplex, 81; *furcata*, 80;
170; *furcata crispata*, 81; *furcata*
racemosa, 80; *furcata subulata*, 80;
gracilis elongata, 81; *graciles hybrida*,
81; *graciles symphiacarpa*, 81; *graciles*
verticillata, 81; *lepidata*, 80; *maci-*
lenta, 80; *mitrula*, 81; *palamaea*, 80;
papillaria, 80, 188; *pyxidata*, 81, 170;
pyxidata symphicarpa, 81; *rangi-*
ferina, 170; *rangiferina alpestris*, 80;
rangiferina sylvatica, 80; *sylvatica*,
80, 170, 188; *squamosa*, 81; *squamosa*
delicata, 81; *subcariosa*, 81; *turgida*,
81; *uncialis*, 80, 170; *uncialis adunca*,
80; *verticillata*, 81
Cladoniaceae, 80
Cladoniæ, 80
Cladophora, 6
Cladophoris, 6
Clapp, G. L., 199
Clark, E. D., 20, 70
Classification of Botanical Science in
Two Dimensions, A, 144
Clavariaceae, 214
Clerodendrum indicum, 23; *infortunata*,
23; *Siphonanthus*, 23; *spinosum*, 23
Clethræaceae, 247
Clintonia, 61
Cochlearia groenlandica, 66
Cockerell, T. D. A., Two New Plants
from the Tertiary Rocks of the West,
135
Coleosporiaceae, 211
Coleogyne ramosissima, 64
Collema cyrtaspis, 92; *floccidum*, 92;
furvum, 92; *leptaleum*, 92; *micro-*
phyllum, 92; *myricoccum*, 92; *molyb-*
dium, 87; *molybdium cronia*, 88;
nigrescens, 92; *nigrescens leucopepla*,
92; *plicata*, 93; *pulposum*, 92; *pyc-*
nocarpum, 92; *ryssoleum*, 92; *tenax*,
92; *verruciforme*, 92; *vespertilio*, 92
Collemaceae, 92
Collinsonia canadensis, 179
Comandra umbellata, 173
Commelinaceae, 235

- Compositae, 252
 Coniferous Forests of Eastern North America, 70
 Coniocarpaceae, 93
 Connecticut, The Vegetation of, 167
 Conotrema urceolatum, 91
 Convallariaceae, 236
 Convolvulaceae, 249
 Cook, M. T., 50, 135; Les Zoocécidies des Plantes d'Europe et du Bassin de la Méditerranée (Review), 32
 Copake Falls, N. Y., 1913 Notes on the Flora of, 42
 Coprinus nychtemerus, 34
 Corallina officinalis, 101
 Corallorrhiza maculata, 179
 Corema Conradii, 56
 Cornaceae, 247
 Cornus canadensis, 61; circinata, 183; florida, 61, 176, 179; Nuttallii, 61
 Corydalis sempervirens, 171
 Corylus americana, 177, 191
 Cowell, J. F., 50
 Crassulaceae, 242
 Crataegus, 37
 Crootheca Richteriana, 196
 Crouch, G. S., 38
 Cruciferae, 241
 Cryphiacanthus angustifolius, 21
 Cucurbita Pepo, 34
 Cupressus macrocarpa, 63
 Current Literature and Notes, 32
 Cuscutaceae, 249
 Cyclocarpineae, 78
 Cyperaceae, 233
 Cyperus filiculmis macilentus, 189
 Cyphellium tigillare, 93
 Cypripedium acaule, 43, 177; passerinum, 65; parviflorum pubescens, 43
 Cypselea, 68
 Cystoclonium purpurascens, 98, 99

 Dacryomycetaceae, 213
 Danthonia spicata, 171
 Dasya elegans, 5; pedicillata, 5
 Davis, J. J., Occurrence of Indian Pipe, 162
 Delesseria sinuosa, 100
 De Merritt, M., 199
 Dentrisocaulon bolacinum, 93
 Dermatocarpaceae, 94
 Dermatocarpus arboreus, 94; fluviatile, 94; hepaticum, 94; miniatum, 95; 170; miniatum complicatum, 95; rufescens, 95
 Dermatolithon pustulatum, 100
 Desmarestia aculeata, 98, 99; viridis, 100
 Desmodium canadense, 189; sp., 177
 Dianthera, 150; americana, 151, 154
 Dicentra cucullaria, 183
 Dichodium byssinum, 88
 Dicotyledones, 237
 Dicranum scoparium, 171
 Dictyosphaeria, 6
 Diels, L., 53
 Dinkelspiel, Mrs. H., 69
 Dioscoreaceae, 236
 Diplochistes scruposus, 91
 Diptochistaceae, 91
 Dodge, B. O., 20, 70, 130, 134, 135; Proceedings of the Club, 11, 17, 70, 130, 131, 163-165
 Draba glacialis, 66; hirta, 65
 Droseraceae, 242
 Dryas integrifolia, 66

 Eakins, Mrs. P., 69
 East, E., 53
 Echinopanax horridum, 61
 Ectropothecium apiculatum, 30; globitheca, 30; pseudo-rutilans, 30
 Edible Fungi, 163
 Egglestch, W. W., 113
 Eleocharis mutata, 151, 153
 Endocarpus arboreum, 94; hepaticum, 95; miniatum, 95; miniatum aquatium, 95; miniatum complicatum, 95; rufescens, 95
 Endothia gyrosa parasitica, 180
 Engler, A., 95
 Entodon stenocarpus, 26
 Ephebeaceae, 93
 Ephebe lanata, 93; pubescens, 93
 Ephedra, 64
 Epifagus virginiana, 179
 Epigaea repens, 177
 Epilithon membranaceum, 101
 Epilobium angustifolium, 181
 Epipactis pubescens, 179
 Equisetaceae, 230
 Eragrostis pectinacea, 189
 Erechites hieracifolia, 181
 Ericaceae, 247
 Eriocaulaceae, 235
 Erigeron canadensis, 181, 189, 197, 198; pusillus, 197
 Esther Herman Fund, 70
 Euhomalia, 28
 Eumycetes, 206
 Euphorbia campestris, 137
 Euphorbiaceae, 245
 Euphyceae, 204
 Euthallophyta, 204
 Evans, A. W., 20, 70, 134
 Evening Post, 20, 51, 53, 199
 Evernia furfuracea, 79; furfuracea Cladonia, 79; prunastri, 79; mesomorpha, 140
 Exobasidiaceae, 213

- Fabaceae, 243
 Fabatae, 111
 Fabronia flavinervis, 27; polycarpa, 27
 Fagaceae, 238
 Fagus americana, 162; grandifolia, 57, 178
 Fisher, G. C., 17, 51
 Flora of the Town of Southold, Long Island and Gardiner's Island, The, 201, 229
 Fragaria virginiana, 189
 Franseria, 13-15; acanthicarpa, 13; Bryanti, 14; eriocentra, 14; tenuifolia, 13
 Fraxinus americana, 178; caroliniana, 153
 Fromme, F. D., 38
 Fulton, H. R., 38
 Funaria hygrometrica, 192
 Fungi, 206

 Gaertneria, 13, 14
 Gager, C. S., Gibson's Supplement to Jost's Plant Physiology (Review), 109
 Garden and Forest, 72
 Gardener's Chronicle, 9
 Gasteromycetes, 218
 Gastrodonta, 137
 Gates, R. R., 199
 Gaultheria procumbens, 177; Shallon, 61
 Gaylussacia baccata, 173, 177
 Geaster, 104
 Gentiana Andrewsii, 108; asclepiadea, 108; quinquefolia, 43, 44, 108
 Gentianaceae, 248
 Geocarpon, 67; *minimum*, 67
 Geraniaceae, 244
 Geranium maculatum, 177; Robertianum, 183
 Gerard, W. R., death of, 71
 Gerardia flava, 177
 Gibson's Supplement to Jost's Plant Physiology (Review), 109
 Gleason, H. A., 113
 Gleocapsa aeruginosa, 196; gelatinosa, 196; quarternata, 196; violacea, 196
 Gleotheca linearis, 196
 Goldfussia glomerata, 35
 Gortner, R. A., 131
 Gow, J. E., death of, 199
 Gramineae, 231
 Graphidaceae, 91
 Graphis, 78; dendritica, 91; elegans, 91; erumpens, 91; scripta, 91; scripta assimilis, 91; scripta graciliens, 91; scripta recta, 91; sculpturata, 91
 Graves, A. H., 227
 Griffithsia, 5
 Grimmia Olneyi, 170
 Grossulariaceae, 242
 Gundersen, A. L., 199
 Gymnocarpales, 78
 Gymnocarpi, 78
 Gymnogongrus Torreyi, 99
 Gymnospermae, 230
 Gyrophora Dilleni, 88; Muhlenbergii, 88; vellea, 88
 Gyrophoraceae, 88
 Gyrostomum urceolatum, 91

 Habenaria hyperborea, 45
 Halimeda, 6
 Halothrix lumbricalis, 100
 Haloragidaceae, 247
 Hamamelidaceae, 242
 Hamamelis virginiana, 179
 Harper, R. A., 17, 18, 20, 69, 70, 129, 134, 148; Proposed Work on the Cryptogamic Flora of the Region About New York, 133; Spore Formation in the Slime Moulds, 17
 Harper, R. M., 16, 70, 148; The Aquatic Vegetation of Squaw Shoals, Tuscaloosa County, Alabama, 149; A Classification of Botanical Science in Two Dimensions, 144
 Harperella fluviatilis, 151-154
 Harper's Report on Forests of Alabama (Review), 47
 Harpophyllum aureum, 29
 Harris, J. A., 20, 70, 131, 255.
 Harrison, R. G., 96
 Harshberger, J. W., 132; Algal Stalactites in Bermuda, 195
 Haynes, C. C., 130
 Hazen, T. E., 134
 Hedwigia ciliata, 170
 Hedysarum Mackenzii, 65
 Helianthemum majus, 188
 Helianthus divaricatus, 173, 174
 Helicophyllum torquatum, 29
 Hemiambrosia, 14
 Hemixanthidium, 14
 Henry, J. K., A New Form of Pyrola bracteata, 32; Two British Columbian Notes, 45
 Hepatica triloba, 177
 Hepaticae, 223
 Heppia Despreauxii, 93; virescens, 93
 Heppiaceae, 93
 Herpyzonema, 7
 Hess, G. W., 20
 Heterothecium pezizoideum, 91; vulpinum, 91
 Hicoria aquatica, 161, 162; sp., 57
 Hieracium, 37; venosum, 177
 Hill, E. J., Whorled leaves in Gentiana, 108
 Hollick, A., 19, 148
 Holmes, W., 69

- Holtze, N., 38
 Homalia, 28, 29; glabella, 29; lentula, 28; membranacea, 28
 Hookeria membranacea, 28
 House, H. D., Violets New to South-western Virginia, 2
 Howe, M. A., 18, 20, 70, 131, 134, 165, 255; Some Midwinter Algae of Long Island Sound, 97; Two Recent Works on the Marine Algae (Review), 4
 Howe, R. H., Jr., Some Comparisons of the Lichen Floras of Eurasia and North America, 138
 Hull, E. D., 131; Occurrence of the Indian Pipe (*Monotropa uniflora*) in a Xerophytic Habitat, 101
 Humphreys, E. W., Some Fossil Leaves and their Significance, 39
 Hydnaceae, 214
 Hydotheria venosa, 88
 Hymenocallis coronaria, 151, 153; occidentalis, 152
 Hymenoclea, 15
 Hymenostomum Breutelii, 18
 Hyophila, 18; reflexifolia, 25
 Hypericaceae, 246
 Hypericum galioides, 151; gentianoides, 188; perforatum, 45; punctatum, 45
 Hypopterygium Tamarisci, 29
 Hypomycetes, 209
 Icmadophila ericetorum, 81, 85
 Ilea, 7
 Illicaceae, 245
 Index Filicum, 37
 Index Kewensis, 37
 Influence of Calcium, Magnesium and Potassium Nitrates upon the Toxicity of Certain Heavy Metals toward Fungus Spores (Review), 33
 Influence of Preceding Seasons on the Growths of Yellow Pine, The, 115
 Insect Galls, 203
 International Phytogeographical Excursion in America, The, 55
 International Phytogeographical Excursion of 1913, The, 129
 Iridaceae, 236
 Iris versicolor, 43
 Isodrepanium, 18, 27, 28; lentulum, 27, 28
 Isopterygium miradoricum, 30; pusillum, 30; trichopelma, 30
 Itea virginica, 151
 Jolivette, H. D. M., 255
 Journal of Heredity, The, 11
 Juglandaceae, 237
 Juglans cinerea, 184
 Juncaceae, 235
 Juniperus communis, 189, 193; monosperma, 64; scopulorum, 58; virginiana, 173, 193
 Kaliella turbinata, 197
 Kalmia angustifolia, 189; latifolia, 153, 177, 179
 Keeler, Mrs. L. M., 69
 Kennedy, P. B., 19
 Kern, F. D., 38
 Kew Bulletin, 38, 112
 King, C. A., 135
 Kirkwood, J. E., The Influence of Preceding Seasons on the Growth of Yellow Pine, 115
 Kochia, 60
 Krigia virginica, 43, 171
 Kunkel, L. O., 16; The Influence of Calcium, Magnesium and Potassium Nitrates upon the Toxicity of certain Heavy Metals toward Fungus Spores (Review), 33
 Labiatae, 249
 Labiduromma bormansi, 135
 Laminaria, 99; Agardhii, 98; digitata, 98
 Larix laricina, 57
 Latham, M. E., 135
 Latham, R. A., & Burnham, S. H., The Flora of the Town of Southold, Long Island and Gardiner's Island, 201, 229
 Lauraceae, 241
 Lawrence, J. V., 131
 Lecanora, 87; atra, 86; allophana, 86; athrocarpa, 86; albella cancriformis, 86; Bockii, 86; cervina, 86; cervina discreta, 86; cinerea, 86, 169; Cupressi, 86; fuscata, 85; gibbosa, 86; Hageni, 86; lacustris, 86; muralis, 86; orosthea, 86; pallescens, 86; pallida, 86; pallida cancriformis, 86; privigna, 86; rubina, 86; subfusca, 86; subfusca distans, 86; symmicta, 86; tartarea, 86; varia, 86; varia saepincola, 86; Willeyi, 86; xanthophana, 86
 Lecanoraceae, 85
 Lechea tenuifolia, 171
 Lecidia alba, 89; albocoerulescens, 89; anthracophila, 89; athrocarpa, 86; contigua, 88; cuprea, 89; deco'rans, 91; elaeochroma, 89; enteroleuca, 88; granosa, 88; granulosa, 89; lutea, 89; muscorum, 89; parasema, 83; parasema elaeochroma, 89; parvifolia, 90; rufo-nigra, 90; spilita, 89; tessellata, 89; tessellina, 88; uliginosa, 90; varians, 90; vernalis, 90; viridescens, 90
 Lecidiaceae, 88
 Ledum decumbens, 66
 Lemnaceae, 235

- Lentibulariaceae, 250
 Lepidopilum, 27, 28; membranaceum, 28
 Lepthorapsis derinidis, 94
Leptilon canadense, 199; **pusillum**, 198
 Leptogium bolacinum, 93; chloromelum, 93; dactylinum, 93; lacerum, 93; microphyllum, 92; mycchochorum saturinum, 93; palmatum, 93; plicatile, 93; pulchellum, 93; saturinum, 93; scotinum, 93; tenuissimum, 93; tremelloides, 93
 Leskea microcarpa, 31
 Lespedeza capitata, 173, 188; Nuttallii, 173
 Les Zoocécidies des plants d'Europe et du Bassin de la Méditerranée (Review), 32
 Letharia, 139; columbiana, 139; thamnones, 79, 140; vulpina, 139; vulpina californica, 139
 Leucobryum antillarum, 25; glaucum, 171, 172
 Levine, M., 135; Beiträge zur Kenntnis der Hymenomyceten, II (Review), 33; Proceedings of the Club, 17, 49, 69, 129, 130, 163
 Liatris scariosa, 173
 Libocedrus decurrens, 63
 Lichens, 219
 Lichina confinis, 93
 Lichinaceae, 93
 Liliaceae, 236
 Linaceae, 244
 Linnaea borealis, 61
 Liquidambar styraciflua, 151
 Liriodendron Tulipifera, 178
 List of Plants Collected on the Stefanson-Anderson Arctic Exploration, 1908-12, 65
 Lobaria, 87; amplissima, 87; pulmonaria, 87; quercizans, 87
 Lobeliaceae, 252
 Long Island Historical Society, 227
 Long Island Sound, Some Midwinter Algae of, 97
 Lopadium pezizoideum, 91; vulpinum, 91
 Louisiana, Two Additions to the Flora of, 21
 Lupinus arcticus, 65, 66; perennis, 43, 102, 189
 Lutz, F. E., 50
 Lycoperdon, 104
 Lycopodiaceae, 230
 Lycopodium lucidulum, 61, 179
 Lysimachia quadrifolia, 177, 189
 Lythraceae, 246
 Missouri, 67; A New Northeastern Sedge, 155; A New Southwestern Sedge, 125
 Macmillan, H. F., 38
 Macromitrium, 18; **palmense**, 25; subcirrhosum, 25, 26; Tonduzii, 25
 Magazine San Diego, 132
 Magnoliaceae, 240
 Maianthemum, 61; canadense, 177
 Mairania alpina, 66
 Malaceae, 243
 Malvaceae, 245
 Mansfield, W., 18, 20, 69, 70
 Maronea constans, 83
 Marquette, W. G., Blackman, V. H. & Paine, S. G. A Recording Transpirometer (Review), 128; Ueber den Einfluss des Tabakrauches auf der Pflanze (Review), 34; Wager, H. The Action of Light on Chlorophyll (Review), 111; Warner, C. H. Formaldehyde as an Oxidation Product of Chlorophyll Extracts (Review), 111
 McDermott, F. A., Tri- and Tetracarpellary Walnuts, 127
 Medeola virginiana, 179
 Melampsoraceae, 211
 Melampyrum lineare, 177
 Melanconiales, 209
 Melanthaceae, 236
 Melastomaceae, 246
 Melobesia Lejolisii, 100
 Mendelian Society of Vienna, 53
 Menyanthes trifoliata, 43
 Mesospora, 8
 Metcalf, H., 38
 Microcystis flos-aqua, 196
 Microdictyon, 6
 Milanothea cruenta, 94
 Minns, S., 131
 Missouri Botanical Garden, 165
 Missouri, A New Genus from, 67
 Mitchella repens, 177
 Mittenothamnium Langsdorfi, 30; megapalmatum, 30; nicaraguense, 30; reptans, 30; Salleanum, 30; substriatum, 30
 Mnium Nevii, 19
 Monascus, 47
 Monocotyledones, 230
 Monotropa uniflora, 101, 179
 Monotripliceae, 247
 Moraceae, 238
 Mosses of the Virgin Islands and Central America, 17
 Murrill, W. A., 17, 18, 134, 163
 Musci, 223
 Mycologia, 164
 Mycoporaceae, 94
 Mycoporum pycnocarpum, 94

- Myricaceae, 237
 Myrica asplenifolia, 173, 181, 188, 191;
 carolinensis, 188, 189
 Myxomycetes, 204
 Myxothallophyta, 204
- Naturalists' Directory, 200
 Nature, 38
 Nature and Inheritance of Fasciation,
 130
 Neckera, 28; Ehrenbergii, 26; falcifolia,
 28; lentula, 28
 Negundo, 41; triloba, 40, 42
 Nephroma Helveticum, 87; laevigatum,
 87; tomentosum, 87
 Nephromopsis ciliaris, 84
 Nevius, R. D., death of, 19
 Nevinsia alabamensis, 19
 New Form of Pyrola bracteata, A, 32
 New Genus from Missouri, A, 67
 New Northeastern Sedge, A, 155
 New Southwestern Sedge, A, 125
 News Items, 18, 37, 50, 71, 95, 112, 131,
 148, 165, 199, 227
 New York Botanical Garden, 112;
 Meetings at, 11, 17, 70, 130, 163, 164
 Nichols, G. E., 129; The International
 Phytogeographic Excursion in Ameri-
 ca, 55; The Vegetation of Connecticut
 —III, 167
 Nineteen thirteen (1913) Notes on the
 Flora of Copake Falls, N. Y., 42
 Nymphaeaceae, 240
 Notes on the Local Flora, 131
- Occurrence of Indian Pipe, 162
 Occurrence of the Indian Pipe (Mono-
 tropa uniflora) in a Xerophytic Habi-
 tat, 101
 Observations on Sphaerosoma and allied
 Genera, 164
 Ochrolechia pallescens, 86; tartarea, 86
 Oenothera biennis, 188
 Oleaceae, 248
 Olive, E. W., 135; Steven's Fungi which
 Cause Plant Diseases (Review), 46
 On Erigeron pusillus Nutt., 197
 Onagraceae, 246
 Opegrapha rimalis, 92; varia, 92; viridis,
 92; vulgata, 92
 Ophioglossaceae, 229
 Opuntia Rafinesquii, 102; vulgaris, 171
 Orchidaceae, 236
 Oreohelix, 137
 Orobanchaceae, 250
 Orthostichidium pentagonum, 26
 Origin and Development of Lamellae in
 Coprinus micaceus, The, 165
 Osmunda regalis, 151
 Osmundaceae, 229
- Ostrya virginiana, 176, 179
 Ovieda mitis, 22; spinosa, 23
 Oxalidaceae, 244
 Oxalis, 61
 Oxyria digyna, 66
- Pachynae, 139
 Paleobotanischen Zentralblatt, 200
 Panicum dichotomum, 177; depauper-
 atum, 189; virgatum, 150, 151, 154
 Pannaria byssina, 88; languinosa, 88;
 leucosticta, 88; lurida, 88; micro-
 phylla, 88; molybdaea, 87; molyb-
 daea cronia, 88; nigra, 88; rubiginosa,
 88; tryptophylla, 87
 Pannariaceae, 87
 Papaver radiculatum, 66
 Papaveraceae, 241
 Papillaria nigrescens, 26
 Parmelia Aleurites, 85; Borreri, 85;
 Borreri rudecta, 85; caesia, 84;
 caperata, 85, 170; centrifuga, 85;
 cetrata, 84; conspersa, 85, 170, 172;
 crinita, 84; furfuracea, 79; furfuracea
 Cladonia, 79; laevigata, 84; olivacea,
 85; olivaria, 85; perforata, 85; perlata,
 85; pertusa, 84; physodes, 85; saxi-
 talis, 85; saxitalis sulcata, 85; tiliacea,
 85
 Parmeliaceae, 84
 Parmeliella tryptophylla, 87
 Parmeliopsis aleurites, 85; ambigua, 85;
 placorodia, 85
 Parsons, T. H., 38
 Peach Yellows and Methods of their
 Control, 50
 Pedicularis arctica, 66; canadensis, 177;
 lanata, 66
 Peltigera apthosa, 87; canina, 87;
 canina spuria, 87; horizontalis, 87;
 polydactyla, 87; rufescens, 87; spuria,
 87; venosa, 87
 Peltigeraceae, 87
 Persia pubescens, 161
 Pertusaria communis, 87; globularis, 86;
 glomerata, 87; leioplaca, 87; multi-
 puncta, 86; pustulata, 87; velata, 87;
 Wulfenii, 87
 Pertusariaceae, 87
 Petalonia, 8
 Phaeographis dendritica, 91
 Phascum, 18
 Phegopteris polypodioides, 179
 Phellorina, 17
 Philonotis sphaerocarpa, 26; uncinata
 gracilentia, 26
 Phlox pilosa, 102; Richardsonii, 66
 Phormidium laminosum, 196
 Phrymaceae, 251
 Phycomycetes, 206

- Phyllitis, 5, 7, 8
 Phyllogonium fulgens gracile, 26; viscosum, 26
 Phyllophora membranifolia, 100; Brodiaei, 100, 101
 Physcia adglutinata, 82; aquila, 82; aquila detonsa, 82; detonsa, 82; caesia, 84; hispida, 82; hypoleuca, 82; obscura, 82; obscura endochrysea, 82; obscura endococcina, 82; pulverulenta, 82; speciosa, 82; speciosa galactophylla, 82; stellaris, 82; tenella, 82; tribacea, 82, 169
 Physiaceae, 82
 Physcomitrium turbinatum, 192
 Physma lurida, 88
 Phytolacca decandra, 151, 181
 Phytolaccaceae, 240
 Picea Engelmanni, 59
 Pickett, F. L., 69
 Pilotrichum bipinnatum, 27
 Pinaceae, 230
 Pinus, 160; aristata, 60; edulis, 58, 64; flexilis, 59; Lambertiana, 62, 63; Murrayana, 63; ponderosa, 62-64, 116-119; ponderosa scopulorum, 58, 59; rigida, 56, 189; Sabiniana, 63; Strobus, 175, 194
 Pisum, 34
 Placodium aurantiacum, 83; aurantiacum erythellum, 84; cerinum, 83; cinnabarinum, 84; ferrugineum, 83; rupestre, 83; vitellinum, 85
 Placythium nigrum, 88
 Placyrthium, 88
 Plant Breeding in Scandinavia (Review), 35
 Plant Societies on Uplands, 167
 Plantae Wilsonianae, 9
 Plantaginaceae, 251
 Platanaceae, 242
 Platanus occidentalis, 151, 161
 Platysma aurescens, 84; Fendleri, 84; glaucum, 84; Islandica, 84; juniperina, 84; juniperina Pinastris, 84; lacunosa Atlanticum, 84; lepatizon, 84; Oakesianum, 84
 Plumbaginaceae, 248
 Pneumaria maritima, 66
 Poa compressa, 171, 172, 189; pratensis, 173
 Podaxon, 17
 Podostemon, 151
 Pohlia falcata, 26
 Polemoniaceae, 249
 Polyblastea lactea, 83
 Polyblastiopsis lactea, 94
 Polygala paucifolia, 43
 Polygalaceae, 244
 Polygonaceae, 238
 Polygonatum biflorum, 179
 Polygonella articulata, 188
 Polygonum fugax, 66; sp., 160
 Polypodiaceae, 229
 Polypodium vulgare, 173
 Polyporaceae, 215
 Polysiphonia elongata, 99, 100; nigrescens, 101; urceolata formosa, 101
 Polystichum acrostichoides, 177
 Polytrichum antillarum, 26; commune, 170; juniperinum, 171; piliferum, 171, 188; vernicosum, 26
 Pontederiaceae, 235
 Pool, R. J., 72
 Popper, Mrs. A., 69
 Populus deltoides, 160; grandidentata, 181, 193; temuloides, 181, 193
 Poronia faginea, 94
 Porotrichum sp., 26
 Portulacaceae, 240
 Possible Habit Mutant of the Sugar Maple (Acer saccharum), A, 140
 Potentilla argentea, 171; canadensis, 189; pulchella, 66
 Prain, D., 18
 Preliminary List of the Lichens found within a Radius of 100 Miles of New York City, 73
 Proceedings of the Club, 11, 49, 69, 70, 129, 163
 Primula borealis, 66
 Primulaceae, 248
 Proposed Work on the Cryptogamic Flora of the Region About New York, 133
 Protoboysia, 137
 Prunus corymbulosa, 65; serotina, 178; virginiana, 173, 181
 Psedera quinquefolia, 183
 Pseudophyscia aquila, 82; aquila detonsa, 82; comosa, 82; hypoleuca, 82; speciosa, 82; speciosa galactophylla, 82
 Pseudophyciaceae, 82
 Pseudotsuga, 63, 64; taxifolia, 59, 60, 124
 Psora icteria, 89; Russellii, 90
 Psorotichia Schaereri, 93
 Pteridophyta, 229
 Pterigonidium pulchellum, 31
 Pteris aquilina, 102, 103, 173, 177, 189
 Puccinia graminis, 47
 Pucciniaceae, 211
 Punctaria latifolia, 100
 Pycnanthemum virginianum, 173
 Pylaiella littoralis, 101
 Pyramidula, 137
 Pyrenopsidaceae, 93
 Pyrenopsis Schroederi, 93
 Pyrenula cinchonae, 94; hylaspora, 94;

- lactea, 94; leucoplaca, 94; nitida, 94;
 95; pachycheila, 94; punctiformis, 94;
 thelaena, 94
 Pyrenulaceae, 94
 Pyrenocarpaceae, 94
 Pyrola americana, 177; aphylla, 32;
 aphylla paucifolia, 32; bracteata, 32;
 bracteata Hillii, 32; elliptica, 177
 Pyrolaceae, 247
 Pyxine cocoes, 82; soledata, 82

 Quercus alba, 175, 176, 178; californica,
 62; coccinea, 175; Garryana, 62;
 Gunnisonii, 58; heterophylla, 132;
 ilicifolia, 173, 191; marilandica, 56;
 phellos, 161, 162; pridigitata, 162;
 Prinus, 175; prinoides, 173; rubra,
 176, 178; Rudkini, 132; sp., 57; stel-
 lata, 174, 173; velutina, 101, 102, 175,
 187; virginiana, 161

 Racomitrium Nevii, 19
 Radiatae, 78
 Radiati-Stratosi, 80
 Ramalina, 140; calicaris, 79, 140;
 calicaris canaliculata, 79; calicaris
 farinacea, 79; calicaris fastigata, 79;
 calicaris fraxinea, 79; candiculata, 79;
 Duriaei, 140; farinacea, 79; fastigi-
 ata, 79; fastigiata subampliata, 79;
 fraxinea, 140; Mensiezii, 140; rigida,
 79; scopulorum, 140; subfarinacea,
 140; Urileyi, 79
 Rand, F. V., 70
 Ranunculaceae, 240
 Ranunculus nivalis, 66
 Record, S. J., Harper's Report on Forests
 of Alabama (Review), 47
 Reichling, G. A., 164
 Reviews, 4, 46, 109, 128, 226
 Reynolds, C. L., 20
 Rhacopilum angustatum, 29; latistip-
 ulatum, 29; tomentosum, 29; tomen-
 tosum longe-aristatum, 29
 Rhamnaceae, 245
 Rhizocarpon petraea, 83
 Rhizoclonium, 6
 Rhizogonium spiniforme, 26
 Rhododendron albiflorum, 45; albi-
 florum *poikilon*, 46; catawbiense, 154;
 lapponicum, 65; nudiflorum, 177
 Rhododermis Georgii, 101
 Rhodomela subfusca, 101
 Rhodora, 197
 Rhodymenia palmata, 99
 Rhus, 39, 40; copallina, 40, 173; glabra,
 39, 40, 42, 191; hirta, 173; Powelliana,
 39, 40; typhina, 172, 174; Toxicod-
 endron, 183, 189; Uddeni, 39, 42
 Richards, H. M., 20, 70, 130, 135

 Rigg, G. B., 199
 Rinodina ascosciscana, 83; confragosa,
 83; constans, 83; exigua, 89; sophodes,
 83; spohodes confragosa, 83
 Robinia Pseud-Acacia, 189
 Robinson, C. B., death of, 19, 37, 131
 Roloff, A., 199
 Rosa, 35; acicularis, 65; humilis, 173
 Rosaceae, 242
 Rubiaceae, 251
 Rubus allegheniensis, 181; ideaus acu-
 leatissimus, 181; odoratus, 183; vil-
 losus, 189
 Ruellia angustifolia, 21, 22; spectabilis,
 21, 22; Tweediana, 21, 22
 Rumex Acetosella, 171, 189
 Rusby, H. H., 12; Addison Brown, 1
 Rydberg, P. A., 12; List of Plants
 Collected on the Stefanson-Anderson
 Arctic Exploration, 1908-12, 65

 Sagedia lactea, 94; oxespora, 94
 Salicaceae, 237
 Salix angulorum, 66; arctica, 65; nigra,
 151; phlebophylla, 66
 Salton Sea, The (Review), 226
 Sambucus racemosa, 183
 Sanguinaria canadensis, 42
 Sanicula marilandica, 179
 Santalaceae, 238
 Sapindopsis, 40; magnifolia, 40, 42;
 variabilis, 40, 42
 Sapindus, 40, 41; membranaceus, 40,
 42; saponaria, 40, 42
 Sarcobatus, 60
 Sargassum, 6, 8; bacciferum, 8; Filipen-
 dula, 99
 Sarracenia flava, 154
 Sassafras variifolium, 176, 179
 Saxifraga virginensis, 171
 Saxifragaceae, 242
 Schaffner's Field Manual of Trees (Re-
 view), 110
 Schenck, C. A., 51
 Schenzeriaceae, 230
 Schizomycetes, 206
 Schizothrix calcicola, 196
 Schley, E., 199
 Schöney, L., death of, 51, 130
 Schwendener, S., 72
 Science, 53, 72, 95, 199, 255
 Scirpus americanus, 151
 Scrophulariaceae, 250
 Scytosiphon lomentarius, 98
 Seaver, F. J., 135, 164
 Sedum Nevii, 19
 Selaginella rupestris, 171
 Selaginellaceae, 230
 Selden's Everyman's Garden Every
 Week (Review), 128

- Sematophyllum caespitosum*, 31; *galipense*, 31; *Lindigii*, 31; *microcarpum*, 31; *xylophilum*, 31
Sequoia gigantea, 63; *sempervirens*, 53
Sericocarpus asteroides, 173, 189
 Shimek, B., 95
 Shorter Notes, 31, 68, 108, 127, 162
Simaroubaceae, 244
Siphonanthus indica, 22, 23
Smilacaceae, 236
Smilacina racemosa, 177
Smilacites grandifolia, 135
Smilax, 135, 136; *aspera*, 136; **carbo-nensis**, 135, 136; *grandifolia*, 135, 136; **Kansana**, 136; **labidurommae**, 135; *lamarensis*, 136; *laurifolia*, 136; *lingulata*, 136; *undulata*, 137
Solanaceae, 250
Solidago bicolor, 177; *caesia*, 177; *latifolia*, 179; *nemoralis*, 173, 189
 Some Aspects of Californian Coastal Vegetation, 130
 Some Comparisons of the Lichen Floras of Eurasia and North America, 138
 Some Fossil Leaves and their Significance, 39
 Some Midwinter Algae of Long Island Sound, 97, 165
Sparganiaceae, 230
Sparganium sp., 160
Spathularia, 28
 Spermatophyta, 230
Spermothamnium Turneri, 99
Sphacelaria cirrhosa, 99
Sphaeropsidae, 210
 Spore Formation in the Slime Moulds, 17
Squamidium macrocarpum, 26
 Standley, P. C., Two Additions to the Flora of Louisiana, 21
Staphylea trifolia, 183
 Staten Island Association of Arts and Sciences, 148
Statice sibirica, 66
Stenocybe byssacaum, 93
Stenophyllus capillaris, 188
Stereocaulon denudatum, 80; *paschale*, 80, 170; *tomentosum*, 80
Sterrocolax decipiens, 99
 Stetson, S., 69, 134; 1913 Notes on the Flora of Copake Falls, N. Y., 42
 Stevens, F. L., 18
 Stevens' Fungi which Cause Plant Diseases (Review), 46
Sticta amplissima, 87; *aurata*, 87; *crocata*, 87; *pulmonaria*, 87; *quercizans*, 87; *sylvatica*, 87
Stictaceae, 87
 Stober, J. B., 199
 Stoddard, E. D., 53
 Stout, A. B., 20, 70, 135; Plant Breeding in Scandinavia (Review), 35; The American Breeders' Magazine, 10
Stratosae, 82
 Struvea, 6
 Such, Mrs. G., 69
Synechoblastus cyrtaspis, 92; *flaccidus*, 92; *pyncocarpum*, 92; *ryssoleus*, 92
Syneccoccus aeruginosus, 197
Syringia vulgaris, 35
Syrrhopodon decolorans, 25; *Hobsoni*, 25; *incompletus*, 25; *Mohrianum*, 25; *Sartori*, 25
 Tansley, F. D., 148
 Taubenhaus, J. J., 199
Taxithelium planum, 30
Taxodium distichum, 160, 162
Taxus brevifolia, 61; *canadensis*, 45, 61
 Taylor, N., 18, 20, 69, 70, 131; Index Kewensis (Review), 37; Schaffner's Field Manual of Trees (Review), 110; The Salton Sea (Review), 226; Wilson's A Naturalist in Western China (Review), 8
Telochistes chrysophthalmus, 80; *concolor*, 85; *lychnus*, 82; *parietinus*, 82; *polycarpus*, 82
 Thallophyta, 204
Thelephoraceae, 213
 Thompson, W. G., 112
Thrombium epigaea, 95
Thuidium miradoricum, 30
Thuja plicata, 61
Thysanophora, 137
 Tiarella, 61
Tilia americana, 178, 183, 184
Tiliaceae, 245
Tithymalus campestris, 7; **phena-codorum**, 137; *Willistoni*, 137
Toninia granosa, 88
 Torrey Botanical Club, 148; Chairmen of Special Committees on Local Flora, 34
 TORREYA, 129
Trapa alabamensis, 107; *bicornis*, 106; *bispinosa*, 106; *cuneata*, 106; *Credneri*, 106; *natans*, 105, 106; *microphylla*, 106; **wilcoxensis**, 106, 107
Trapa, Two New Tertiary Species of, 105
Tremellaceae, 213
 Tri- and Tetracarpellary Walnuts, 127
Triadenum petiolatum, 151
Trichostema dichotoma, 186; *dichotomum*, 188
Trichosteleum fluviale, 31; *microcarpum*, 31
Trientalis americana, 43, 179
Trilliaceae, 236

- Trillium, 61; cernuum, 179; erectum, 179, 42
 Trypetheliaceae, 94
 Trypethelium cruentum, 94; virens, 94
 Tsuga canadensis, 178, 183, 184; heterophylla, 61; Mertensiana, 63
 Tussilago Farfara, 42
 Two Additions to the Flora of Louisiana, 21
 Two British Columbian Notes, 45
 Two New Plants from the Tertiary Rocks of the West, 135
 Two New Tertiary Species of Trapa, 105
 Two Recent Works on the Marine Algae (Review), 4
 Typhaceae, 230

 Ueber den Einfluss des Tabakrauches auf der Pflanze (Review), 34
 Ulmaceae, 238
 Ulva lactuca, 98
 Umbilicaria, 88; Dilleni, 88; hirsuta, 88; Muhlenbergii, 88; papulosa, 88; pennsylvanica, 88; 170; pustulata, 88; pustulata papulosa, 88; vellea, 88
 Underwood Fund, 130
 Urceolaria scruposa, 91
 Urticaceae, 238
 Usnea, 139; angulata, 79; articulata, 139; barbata, 78, 79; barbata ceratina, 79; barbata dasypaoga, 79; barbata florida, 79; barbata hirta, 79; barbata plicata, 79; barbata rubiginea, 79; californica, 139; florida, 79; florida hirta, 79; florida rubiginea, 79; longissima, 79; plicata, 79, 139; plicata Huei, 79; trichodea, 79
 Usneaceae, 78, 139
 Usneei, 78
 Ustilaginaceae, 211

 Vacciniaceae, 248
 Vaccinium pennsylvanicum, 102, 173, 177; vacillans, 173, 177; Vitis-Idaea, 66
 Valeriana capitata, 66
 Valerianaceae, 251
 Van Loan, C., 129
 Van Tieghem, P. E. L., death of, 96
 Vegetation of Connecticut—III, The, 167
 Vegetation of the Smaller Islands belonging to Porto Rica, The, 164
 Verbascum Thapsus, 181
 Verbenaceae, 249
 Vernonia, 113
 Verrucaria epigaea, 95; nitida, 95
 Verrucariaceae, 95
 Vesicularia amphiloba, 31; vesicularis, 31
 Viburnum acerifolium, 177, 179; molle, 160; nudum, 160
 Vicia sativa, 34
 Viola, 42; Brittoniana, 4; emarginata, 3, 4; **emarginata** × **septemloba**, 3, 4; pedata, 173; fimbriatula, 189; pedata lineariloba, 102; septemloba, 2, 4; villosa, 4
 Violaceae, 246
 Violets New to Southeastern Virginia, 2
 Vitaceae, 245
 Vitrea, 137

 Wager, H., The Action of Light on Chlorophyll (Review), 111
 Warner, C. H., Formaldehyde as an Oxidation Product of Chlorophyll Extracts (Review), 111
 Watson, J. H., death of, 131
 White, O. E., 17, 130
 Whorled Leaves in Gentiana, 108
 Wieland, G. R., 96
 Wild Flowers of Spring, 164
 Wille, N., 255
 Williams, R. S. & Britton, E. G., Central American Mosses, 24
 Wilson, E. H., 38
 Wilson, G. W., 165
 Wilson's A Naturalist in Western China (Review), 8
 Winter Changes in Weeping Willow, 31
 Wood, G. C., A Preliminary List of the Lichens found within a Radius of 100 Miles of New York City, 73
 Woodsia ilvensis, 171, 172

 Xanthium, 12, 13, 14; fruticosum, 12
 Xanthoria lychnea, 82; parietina, 82; polycarpa, 82
 Xylogropha parallela, 92
 Xyridaceae, 235

 Zannichelliaceae, 230
 Zizaniopsis miliacea, 151
 Zostera, 100, 101
 Zosteraceae, 230

The Torrey Botanical Club

Contributors of accepted articles and reviews who wish six gratuitous copies of the number of *TORREYA* in which their papers appear, will kindly notify the editor when returning proof.

Reprints should be ordered, when galley proof is returned to the editor. The New Era Printing Co., 41 North Queen Street, Lancaster, Pa., have furnished the following rates:

	2pp	4pp	8pp	12pp	16pp	20pp
25 copies	\$.75	\$1.05	\$1.30	\$1.80	\$2.20	\$2.50
50 copies	.90	1.20	1.70	2.20	2.50	2.85
100 copies	1.15	1.55	1.95	2.55	2.90	3.20
200 copies	1.70	2.35	2.90	3.75	4.35	4.70

Covers: 25 for 75 cents, additional covers 1 cent each.

Plates for reprints, 40 cents each per 100.

The following Committees have been appointed for 1914

Finance Committee

J. H. BARNHART, *Chairman*
Miss C. C. HAYNES

Field Committee

SERENO STETSON, *Chairman*

Budget Committee

J. H. BARNHART, *Chairman*
N. L. BRITTON
B. O. DODGE
M. A. HOWE
A. W. EVANS
H. H. RUSBY

Program Committee

MRS. E. G. BRITTON, *Chairman*
MISS JEAN BROADHURST
C. STUART GAGER
F. J. SEAVER

Local Flora Committee

N. L. BRITTON, *Chairman*

Phanerogams:

E. P. BICKNELL
N. L. BRITTON
C. C. CURTIS
K. K. MACKENZIE
NORMAN TAYLOR

Cryptogams:

MRS. E. G. BRITTON
PHILIP DOWELL
TRACY E. HAZEN
M. A. HOWE
W. A. MURRILL

Delegate to the Council of the New York Academy of Sciences

WILLIAM MANSFIELD

OTHER PUBLICATIONS
OF THE
TORREY BOTANICAL CLUB

(1) BULLETIN

A monthly journal devoted to general botany, established 1870. Vol. 40 published in 1913, contained 712 pages of text and 26 full-page plates. Price \$3.00 per annum. For Europe, 14 shillings. Dulau & Co., 37 Soho Square, London, are, agents for England.

Of former volumes, only 24-40 can be supplied entire ; certain numbers of other volumes are available, but the entire stock of some numbers has been reserved for the completion of sets. Vols. 24-27 are furnished at the published price of two dollars each ; Vols. 28-40 three dollars each.

Single copies (30 cents) will be furnished only when not breaking complete volumes.

(2) MEMOIRS

The MEMOIRS, established 1889, are published at irregular intervals. Volumes 1-13 are now completed ; Nos. 1 and 2 of Vol. 14 have been issued. The subscription price is fixed at \$3.00 per volume in advance. The numbers can also be purchased singly. A list of titles of the individual papers and of prices will be furnished on application.

(3) The Preliminary Catalogue of Anthophyta and Pteridophyta reported as growing within one hundred miles of New York, 1888. Price, \$1.00.

Correspondence relating to the above publications should be addressed to

DR. BERNARD O. DODGE

Columbia University

New York City